

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4045	(network with management) same ((device apparatus workstation) with (visual\$4 output\$4 display\$4 LED))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 13:46
L2	1494	(709/220-224.ccls. or 710/8-10.ccls. or 713/1,100.ccls.) and ((locat\$4 discover\$4 identif\$4) same (configur\$5) same network)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 09:43
L3	131	l1 and l2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 09:44
L4	3010	(network with management) and ((device apparatus workstation) with (light LED))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 13:47
L5	389	l4 and l1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 13:47
L6	154	(network with management) same ((device apparatus workstation) with (light LED))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 13:47
L7	67	l1 and l6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 13:47
S1	1265	(709/220-224.ccls. or 710/8-10.ccls. or 713/1,100.ccls.) and ((locat\$4 discover\$4 identif\$4) same (configur\$5) same network)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 09:27
S2	710	(709/220-224.ccls. or 710/8-10.ccls. or 713/1,100.ccls.) and (((locat\$4 discover\$4 identif\$4) with (device apparatus server computer peripheral)) same (configur\$5) same network)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 09:29
S3	181	((709/220-224.ccls. or 710/8-10.ccls. or 713/1,100.ccls.) and (((locat\$4 discover\$4 identif\$4) with (device apparatus server computer peripheral)) same (configur\$5) same network)) and (address\$4 near3 assign\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 09:29
S4	1	"6286038".pn. and internet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 09:28
S5	12	(configur\$5 with (scan\$5 search\$5) with (address\$3 near3 range))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 11:06
S6	27	(configur\$5 same ((scan\$5 search\$5) with (address\$3 near3 range)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 11:18
S7	187	(configur\$5 and ((scan\$5 search\$5) with (address\$3 near3 range)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 11:19

S8	30	(configur\$5 and ((scan\$5 search\$5) with (address\$3 near3 range) with (port\$4 identif\$7)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 11:30
S9	40053	(configur\$5 and ((scan\$5 search\$5) with (port\$4 identif\$7)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 11:31
S10	5725	(configur\$5 same ((scan\$5 search\$5) with (port\$4 identif\$7)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 11:31
S11	2596	(configur\$5 with ((scan\$5 search\$5) with (port\$4 identif\$7)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 11:32
S12	1767	(configur\$5 with ((scan\$5 search\$5) with (port\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 11:32
S13	19	(configur\$5 with ((scan\$5 search\$5) with (network near3 port\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 11:32
S14	232	(search\$5 scan\$6) with (network near3 port)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 12:35
S15	11	configur\$5 with (search\$5 scan\$6) with (network near3 port)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 12:38
S16	162	configur\$5 and (search\$5 scan\$6) with (network near3 port)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 12:39
S17	160	(display with list with (device apparatus) with configur\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:31
S18	6134	709/220-224.ccls. or 710/8-10.ccls. or 713/1,100.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:28
S19	24	((display with list with (device apparatus) with configur\$7)) and (709/220-224.ccls. or 710/8-10.ccls. or 713/1,100.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:28
S20	9	(display with list with (device apparatus) with discover\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:53
S21	1740	configur\$7 with authoriz\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:54
S22	105	(configur\$7 with authoriz\$5) and (709/220-224.ccls. or 710/8-10.ccls. or 713/1,100.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:54

S23	873	(discover\$4 with (device node computer) with (network)) and (identif\$5 with (device node computer) with (network)) and (configur\$5 with (device node computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 10:25
S24	101	(discover\$4 with (device node computer) with (network)) and (identif\$5 with (device node computer) with (network)) and (configur\$5 with (device node computer) with parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 10:25
S25	242	(discover\$4 with (device node computer) with (network)) and (identif\$5 with (device node computer) with (network)) and (configur\$5 with (device node computer) with identif\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 10:26
S26	962	(discover with (device node) with network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:09
S27	90	(discover with (device node) with (coupl\$5 attach\$4) with network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:36
S28	70	(active with discover\$3 with (computer device node) with network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:53
S29	730	(discover\$3 with (device computer node) with (coupl\$4 attach\$4 connect\$4) with network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:10
S30	518	S29 and (configur\$5 with (device node computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:10
S31	215	S30 and @ad<="20010425"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:11